

Increasing Occupational Musculoskeletal Diseases among Office Employees

ARTICLE INFO

Article Type Editorial

Authors

Delshad, MH.¹ PhD
Pourhaji F.² PhD

How to cite this article

Delshad M H, Pourhaji F. Increasing Occupational Musculoskeletal Diseases among office employee. IJMPP. 2018; 3 (4) : 96-98

¹Health Education and Health Promotion Department, Shemiranat Health Network, Health Deputy Department, Shahid Beheshti University of Medical Sciences, Tehran, Iran and MPH student of Health policy, Health policy Research Center, Institute of Health, Shiraz University of Medical Sciences, Shiraz, Iran

²Health Education and Health Promotion Department, Pardis Health Network, Health Deputy Department, Shahid Beheshti University of Medical Sciences, Tehran, Iran.

* Correspondence

Address: 7th Floor, Bldg No.2 SBUMS, Arabi Ave, Daneshjoo Blvd, Velenjak, Tehran, Iran.
Postal Code: 19839-63113
Phone: +98 (21) 22211882
Fax: +98 (21) 22211882

Article History

Received: April 14, 2019
Accepted: May 3, 2019
ePublished: May, 5, 2019

Work-related Musculoskeletal pain has, therefore, significant health and socio-economic effects^[1]. In many countries, Physical Inactivity PIA is one of the main causes of Non-Communicable Diseases (NCD) such as Occupational Musculoskeletal Diseases (OMSDs)^[2]. Worldwide, OMSDs continue to be the leading cause of work-related disabilities'. Those are caused by various types of work-related diseases^[3]. The office employees are at risk for physical inactivity (PIA) 2-3, they usually suffer from nonfatal occupational injuries, illnesses and Musculoskeletal Disorders (MSDs). It has been argued that office employees are exposed to dangerous of MSDs without receiving necessary cares that in turn leading to increased OMSDs especially in developing and underdeveloped countries^[4]. According to the World Health Organization (WHO) and Occupational Safety and Health Administration (OSHA), the great majority of workplace unhealthy posture are preventable and prevention is the key item that should be addressed to decrease OMSDs^[5]. In other hand, OSHA suggested that ergonomic programs are essential for health improvement of health care workers. Ergonomic

interventions could assist to reduce MSDs^[6].

Given the importance of OMSDs that accompanied by bio psycho social complications, multifaceted and multidimensional educational packages are much more likely to be effective than any other monodisciplinary particular intervention^[5], even though public health experts in different countries showed that occupational health (OH) practice can vary amongst different nations^[7].

The competencies required of OMSDs practitioners have been the subject of peer-reviewed research in different countries around the world^[8]. Significantly reducing the unhealthy behaviors regarding Occupational Musculoskeletal Diseases (OMSDs) is not easy, also it may not be easy, and it is going to not occur and manifest overnight, but progress is truly viable. Therefore, let us, in our respective areas of obligation, set clear occupational safety and health goals, set up a road map and maximum seriously, act and persevere, so that, together, we succeed in turning the behaviors that is outbreak and make good educational progress on this dimension of these challenges of Health^[9].

Office employers could engage with proper interventions to promote healthy behavior. education in ergonomic concepts with Low Back Pain (LBP), show that observing ergonomic principles may decrease the incidence of LBP in office employers^[10]. However, an interventional approach is needed to develop intervention strategies that are specifically designed for office employers ^[11]. This method entailed accomplishing systematic literature search and semi-based interviews with workplace employers. Based on these semi-structured interviews, an assessment of the need for a logical model to help for identifying behavioral influencing factors for OMSDs^[12] is guaranteed. The environmental factors that may contribute to OMSDs among health workers may cause disability and static work that could highlight social needs and norms in the workplace. According to previous studies, personal characteristics such as knowledge and skills regarding ergonomic principals and low motivation for healthy workplace improvement could affect health workers' behaviors. In addition to individual determinants affecting the environment of health workers, personal norms that were taken from the social environment as well as sources like time and money are needed to decrease OMSDs^[13-15].

References

1. Dalager T, Højmark A, Jensen PT, Søgaard K, Andersen LN. Using an intervention mapping approach to develop prevention and rehabilitation strategies for musculoskeletal pain among surgeons. *BMC Public Health*. 2019;19(1):320.
2. White-Heisel R, Canfield JP, Young-Hughes S. Examining the Factor Structure and Reliability of the Safe Patient Handling Perception Scale: An Initial Validation Study. *Rehabilitation Nursing*. 2016.
3. Snippen NC, de Vries HJ, van der Burg-Vermeulen SJ, Hagedoorn M, Brouwer S. Influence of significant others on work participation of individuals with chronic diseases: a systematic review. *BMJ open*. 2019;9(1):e021742.
4. Rostamabadi A, Jahangiri M, Naderi Mansourabadi B, Javid M, Ghorbani M, Banaee S. Prevalence of chronic diseases and occupational injuries and their influence on the health-related quality of life among farmers working in small-farm enterprises. *Journal of agromedicine*. 2019(just-accepted).
5. Choi SD, Brings K. Work-related musculoskeletal risks associated with nurses and nursing assistants handling overweight and obese patients: A literature review. *Work*. 2016;53(2):439-48.
6. Nelson A, Lloyd JD, Menzel N, Gross C. Preventing nursing back injuries: redesigning patient handling tasks. *AAOHN journal*. 2003;51(3):126-34.
7. Moll SE, Heino CM, LeBlanc AH, Beck LB, Kalef LM. Workplace mental health: Current practice and support needs of Ontario occupational therapists. *Canadian Journal of Occupational Therapy*. 2019:0008417418822491.
8. Linnan LA, Leff MS, Martini MC, Walton AL, Baron S, Hannon PA, et al. Workplace health promotion and safety in state and territorial health departments in the United States: a national mixed-methods study of activity, capacity, and growth opportunities. *BMC Public Health*. 2019/03/12;19(1):291.
9. Sue DW, Rivera DP, Capodilupo CM, Lin AI, Torino GC. Racial dialogues and White trainee fears: Implications for education and training. *Cultur Divers Ethnic Minor Psychol*. 2010 Apr;16(2):206-13, quiz 14.
10. Wolfenden L, Goldman S, Stacey FG, Grady A, Kingsland M, Williams CM, et al. Strategies to improve the implementation of workplace-based policies or practices targeting tobacco, alcohol, diet, physical activity and obesity. *Cochrane Database of Systematic Reviews*. 2018(11).
11. Kumar R. *Research methodology: A step-by-step guide for beginners*: Sage Publications Limited; 2019.
12. Tideholm A, Rydén O. Design Thinking as Facilitator for Innovation in Swedish Healthcare. A case study at Karolinska University Hospital Göteborg, Sweden. 2015;10.
13. Goossens L, De Ridder R, Cardon G, Witvrouw E, Verrelst R, De Clercq D. Injury prevention in physical education teacher education students: lessons from sports. A systematic review. *European Physical Education Review*. 2019;25(1):156-73.
14. Nwankwo MC. Occupational Health Hazards and Health outcomes among health workers, the determinants and compliance to safety standards in the health facilities in Kigali City, Rwanda: JKUAT-COHES; 2019.
15. Lee J, Huang Y-h, Cheung JH, Chen Z, Shaw WS. A systematic review of the safety climate intervention literature: Past trends and future directions. *Journal of occupational health psychology*. 2019;24(1):66.